



사내교육용

1.5cm × 20cm (3pcs / bag)

EMOBLOCK

MEDICINE HEALTH TREATMENT DOCTOR SURVEY RECIPE

의료기기 일회용

**EINCORE** 



Gauze for outstanding blood clotting and form stability

10 EA

**ANTIBACTERIAL** 

**HEMOSTASIS** 

EASY

EFFECTIVE

7.5cm × 20cm (3pcs / bag)

Chitosan-based hemostatic dressing

# HEMOBLOCK GAUZE

## HEMOBLOCK

Chitosan-based hemostatic dressing

.....

A

## Source

### Chitosan

Produced form natural derived crustacean, Convert it into Chitosan, which has great hemostatic effect

 $\ensuremath{\,\times\,}$  No allergic reactions as protein components are completely removed





ТҮРЕ	Gauze					
Shape						
Model No.	IC-HB3008	IC-HB3024	IC-HB3040	IC-HB3079	IC-HB3118	IC-HB3146
Size(cm)	7.5 x 20	7.5 x 20	7.5 x 100	7.5 x 200	7.5 x 300	7.5 x 370
Package	1pc / Bag	3pcs / Bag	1pc / Bag	1pc / Bag	1pc / Bag	1pc/Bag

**Specifications** 


### 🔊 Hemostasis Mechanism

- · Positive charge of chitosan contacts blood cells with negative charge to attract blood cells
- $\cdot$  Accelerates hemostatic effect by coagulation of platelets
- · Promotes clotting reaction of blood to form fibrins






How to use



- 1. Clean around wounded site
  - 2. Open bag to use dressing and contact on the wounded site for a couple of minutes of compression to control bleeding. The dressing can be trimmed in necessary shapes
  - 3. For removal of used dressings, pour gently sterilized saline water to eliminate residues on applied site
  - 4. Wet dressing becomes gel-like, it helps easy removal of residues and prevention of 2nd bleeding on wounded site.





 [본 사]
 경상북도 경산시 와촌면 솔구불길 18 (첨단메디컬융합섬유센터), 5층 501호
 T 02-866-3514
 F 02-6919-1346

 [Head office]
 5-501, 18, Solgubul-gil, Wachon-myeon, Gyeongsan-si, Gyeongsangbuk-do
 T +82-2-866-3514
 F +82-2-6919-1346



Chitosan-based hemostatic dressing

# HEMOBLOCK TAMPON

## MOBLOCK

Chitosan-based hemostatic dressing

. . . . . . . . . . . . . . . .

## Source

#### Chitosan

Produced form natural derived crustacean, Convert it into Chitosan, which has great hemostatic effect

\* No allergic reactions as protein components are completely removed




TYPE	Circular Type	Conical Type			
Shape		Jan Star			
Model No.	IC - HBC001	IC - HBC002			
Size(cm)	Ø3.0	Ø2.7 - 3.3			
Package	1pc/Bag	1pc / Bag			

**Specifications** 


## Hemostasis Mechanism


- · Positive charge of chitosan contacts blood cells with negative charge to attract blood cells
- · Accelerates hemostatic effect by coagulation of platelets
- · Promotes clotting reaction of blood to form fibrins






How to use








#### Circular Type (Biopsy)

- 1. Hold the edge of Hemoblock Tampon using Forcep
- 2. Insert the tampon deeply through a vaginal speculum
- 3. Hold down the tampon using Forcep and remove a vaginal speculum
- 4. After bleeding is controlled, remove the tampon by pulling a thread (It would be much easier to remove the tampon if using a feminine cleanser)

#### Conical Type (Conization)

- 1. Hold the edge of Hemoblock Tampon using Forcep
- 2. After conization, insert the tampon deeply to match the shape
- 3. Hold down the tampon using Forcep and remove a vaginal speculum
- 4. After bleeding is controlled, remove the tampon by pulling a thread

#### (It would be much easier to remove the tampon if using a feminine cleanser)





사] 경상북도 경산시 와촌면 솔구불길 18 (첨단메디컬융합섬유센터), 5층 501호 [Head office] 5–501, 18, Solgubul–gil, Wachon–myeon, Gyeongsan–si, Gyeongsangbuk–do T +82–2–866–3514 F +82–2–6919–1346

T 02-866-3514 F 02-6919-1346